

## References and further readings

- Anderson, Roger. 1982, An evolutionary model summarizing the roles of fire, climate, and grazing animals in the origin and maintenance of grasslands: an end paper, in J. Estes, R. Tylr, and J Brunken Eds. *Grasses and Grasslands*, p. 297-308, Univ. Oklahoma Press.
- Baker, R. G. E. A. Bettis III, D. P. Schwert, D. G. Horton, C. A. Chumbley, L. A. Gonzalez, and M. K. Reagan. 1995. Holocene paleoenvironments of Northeast Iowa, *Ecological Monographs*. 66:203-234.
- Barkley, T. M. Ed. 1977, *Atlas of the Flora of the Great Plains*, Iowa St. Univ. Press, Ames.
- Beckwith, E. G. 1854. Report of exploration for the Pacific railroad near the 38th and 39th parallels of north latitude from the mouth of the Kansas to Sevier River in the Great Basin, in *33rd Congress, House Executive Document* 129, 5:1-146.
- Bement, R. E. R., D. Barmington, A. C. Everson, L. O. Hylton, Jr. and E. E. Remenga. 1965. Seeding of abandoned croplands in the Central Great Plains. *Journal of Range Management*. 18:53-58.
- Bernabo, J.C. and T. Webb, III. 1977. Changing patterns in the Holocene pollen record of northeastern North America: a mapped summary, *Quaternary Research* 8:64-96.
- Booth, D. T. and Haferkamp, M. R. 1995. Morphology and seedling establishment, p. 230-290 in: Bedunah, D. J. and Sosebee, R. E. (eds.) *Wildland plants physiological ecology and developmental morphology*. Society for Range Management. Denver, CO.
- Borchert, J. R. 1950. The Climate of the North American Grassland. *Annals of the Association of American Geographers* 40:1-39.
- Botkin, D. B. 1979, A Grandfather Clock Down the Staircase: Stability and Disturbance in Natural Ecosystems, *Proc. Ann. Biol. Coll.* 40:1 -10. Oregon State Univ.
- Bragg, B. B. and D. M. Sutherland. 1989. Establishing warm-season grasses and forbs using herbicides and mowing. Pages 81-89 in T. B. Bragg and J. Stubbendieck, Editors. *Proceedings of the Eleventh North American Prairie Conference*. University of Nebraska. Lincoln.
- Briske, D. D. and A. M. Wilson. 1978, Moisture and temperature requirements for adventitious root development in blue grama seedlings. *Journal of Range Management*. 31:174-178.
- Briske, D. D. and A. M. Wilson. 1980, Drought effects on adventitious root development in blue grama seedlings. *Journal of Range Management*. 35:323-327.
- Briske, D. D. and J. H. Richards. 1996. Plant responses to defoliation: a physiological, morphological, and demographic evaluation. p. 635- -710 in: Bedunah, D. J. and Sosebee, R. E. (eds. ) *Wildland plants physiological ecology and developmental morphology*. Society for Range Management. Denver, CO.

- Brown, D. A. 1984, Prospects and limits of a phytolith key for grasses in the central United States, *Journal of Archaeological Science*, 11:345-68.
- Brown, D. A. 1989. Physiological and Morphological problems for dispersal and survival of grasses in a changing environment, p 25-38 in G. P. Malanson, Ed. *Natural Areas Facing Climate Change*, SPB Academic, The Hague.
- Brown, D. A. 1993. Early Nineteenth-Century Grasslands of the Midcontinent Plains, *Annals of the Association of American Geographers*. 83:589-612.
- Brown, D. A. and K. D. Brown. 1996. Disturbance Plays Key Role in Distribution of Plant Species. *Restoration & Management Notes*. 14:2:140-147.
- Brown, D. A. and P. J. Gersmehl. 1985. Migration Models for Grasses in the American Midcontinent, *Annals Assoc. Am. Geog.* 75:383-94.
- Coffin, D. P. and W. K. Lauenroth. 1988. The effects of disturbance size and frequency on a shortgrass plant community. *Ecology* 69:1609- 1617.
- Collins, S. L. 1987. Interactions of Disturbances in Tallgrass Prairie: A Field Experiment, *Ecology*, 65:1243-50.
- Collins, S. L., and L. L. Wallace, Eds. *Fire in North American Tallgrass Prairies*. University of Oklahoma Press. Norman.
- Conner, R. A. Seidl, L. VanTassell, and N. Wilkins. 2006. *United States Grasslands and Related Resources: An Economic and Biological Trends Assessment*. 170 pages. Internet site accessed on 1/28/2008. [http://landinfo.tamu.edu/presentations/all\\_chapters\\_high.pdf](http://landinfo.tamu.edu/presentations/all_chapters_high.pdf)
- Cowles, H. C. 1928. Persistence of Prairies. *Ecology* 9:380-382.
- Curtis, J. 1959. *The Vegetation of Wisconsin*. The Univ. Wisconsin Press. Madison.
- Cutright, P. R. 1969, *Lewis and Clark: Pioneering Naturalists*, Univ. of Ill. Press, Urbana.
- Dallwitz, M.J. (1980). A general system for coding taxonomic descriptions. *Taxon* 29, 41-6.
- Dallwitz, M.J., Paine, T.A., and Zurcher, E.J. (1993). *User's Guide to the DELTA System: a General System for Processing Taxonomic Descriptions*. 4th edition. 136pp. (CSIRO Division of Entomology: Canberra.)
- Davis, M. B. 1976, Pleistocene biogeography of temperate deciduous forests, *Geosciences and Man*, 13:13-26.
- Davis, M. B. 1983, Holocene vegetational history of the Eastern United States, in H. E. Wright, Jr. Ed. *Late Quaternary Environments of the United States, Vol 2 the Holocene*, Univ. of Minnesota Press, 166-181.
- Dix, R. L. and F. E. Smeins. 1967. The prairie, meadow and marsh vegetation of Nelson County, North Dakota. *Canadian Journal of Botany* 45:21-58.
- Elias, M.K. 1942. Tertiary prairie grasses and other herbs from the High Plains: *Geological Society of America Special Paper* 41, p. 1-176.

- Epstein, H. E. W. K. Lauenroth, I. C. Burke, and D. P. Coffin. 1997. Productivity patterns of C3 and C4 functional types in the U. S. Great Plains, *Ecology*, 78:722-731.
- Fenton, M. S. Moran, J. T. Teller, and L. Clayton. 1983, in J. T. Teller and L. Clayton, Eds. *Glacial Lake Agassiz*, Geological Assoc. of Canada Sp. Pub. 26,
- Finney H. R. 1966, Some characteristics of four raised bogs in Northern Minnesota: stratigraphic relationships and mineralogical properties of the inorganic fraction, unpublished PhD thesis, University of Minnesota, vii-168.
- Gersmehl, P. J. and D. A. Brown. 2004. The conservation reserve program: a solution to the problem of agricultural over production? In D. G. Janelle et al. (eds.), *World Minds: Geographical Perspectives on 100 Problems*, 381-386. Kluwer Academic Publishers.
- Gleason, H. A. 1922. The Vegetation History of the Middle West. *Annals of the Association of American Geographers* 12:39-85.
- Glenn, S. M. and S. L. Collins. 1992. Effects of scale and disturbance on rates of immigration and extinction of species in prairies. *Oikos* 63:273-80.
- Hall, D. O. and K. K. Rao. 1994. *Photosynthesis*, Cambridge University Press. Fifth edition.
- Harper, J. P. Lovell, and K. Moore. 1970, The shapes and sizes of seeds, *Annual Rev. Ecol. Syst.* 1:327-351.
- Hartley, W. 1950. Studies on the origin, evolution and distribution of the Gramineae, *Australian Journal of Botany* 8:3:256-276.
- Hartley, W. and C. Slater. 1960. Studies on the origin, evolution and distribution of the Gramineae: III. the tribes of the subfamily Eragrostoideae, *Australian Journal of Agricultural Research* 1:355- 73.
- Hattersley, P. W. 1987. Variations in Photosynthetic Pathways. In *Grass Systematics and Evolution*, eds. T. R. Soderstrom, K. W. Hilu, C. S. Campbell, and M. E. Barkworth, 49-64. Washington, D. C. : Smithsonian Institution Press.
- Hattersley, P. W. 1992. C4 photosynthetic pathway variation in grasses (Poaceae): its significance for arid and semi-arid lands, in G. P. Chapman, Editor, *Desertified Grasslands Their Biology and Management*. Academic Press. London.
- Hitchcock, A. and A. Chase. 1950. *Manual of the Grasses of the United States*, 2nd. Edition, U. S. Dept. of Agri. Misc Pub. 200, 541pp.
- Holdridge, L. R. 1947. Determination of World Plant Formations from Simple Climatic Data. *Science* 105:367-368.
- Holdridge, L. R. 1955. *Life Zone Ecology*. Revised edition. San José, Costa Rica: Tropical Science Center.
- Hyder, D. N., 1973. *Morphogenesis and management of perennial grasses in the United States*, U. S. Dept. Ag. Misc. Pub. 1271:89- 98.

- Hyder, D. N., R. F. Bement, E. E. Remmenga, and D. F. Hervey. 1975. *Ecological responses of Native Plants and Guidelines for Management of Shortgrass Range*. USDA-ARS Technical Bulletin No. 1503.
- Hyder, D. N., A. Everson, and R. Bement. 1971. Seedling morphology and seedling failures in blue grama, *Jour. Range Mgnt.* 24:287- 292.
- Jackson, D. and M. L. Spence, Eds. 1970. *The expeditions of John Charles Fremont, Travels from 1835-1844*, Volume 1, Univ. of Ill. Press, Urbana.
- James, E. 1823. *Account of an expedition from Pittsburgh to the Rocky mountains, performed in the years 1819 and '20, by order of Hon. J.C. Calhoun, sec'y of war: under the command of Major Stephen H. Long the notes of Major Long, Mr. T. Say, and other gentlemen of the exploring party*, Philadelphia: H.C. Carey and I. Lea, 2 volumes.
- Küchler, A. W. 1949. Natural Vegetation (map), in E. Espenshade, Jr. Ed. *Goodes World Atlas*, Rand McNally.
- Küchler, A. W. 1964. *Potential Natural Vegetation of the Conterminous United States*, Am. Geog. Soc. Spec. Pub. 36:iii-116.
- Kurman, Marie. 1985. An opal phytolith and palynomorph study of extant and fossil soils in Kansas (U. S. A), *Palaeogeogr. Palaeoclimol. Palaeoecol.* 49:217-235.
- Lauenroth, W. K., O. E. Sala, D. P. Coffin, T. B. Kirchner 1994. The importance of soil water in the recruitment of *Bouteloua gracilis* in the shortgrass steppe, *Ecological Applications* 4: 741-749.
- Lindberg, Mark. 2000. Shaded relief map from USGS DEM data.
- Loveland, T. R. et al. 1995. Seasonal Land-Cover Regions of the United States. *Annals of the Association of American Geographers* 85:339-355.
- Malin, J. C. 1947. *The Grassland of North America. Prolegomena to its History*. Lawrence, Kansas: by author.
- Malterer, Thomas. 1985. *The Genesis and Characterization of Highly Eutrophic Peatlands in West-Central Minnesota*, unpublished PhD Thesis, U. of Minn.
- Manogaran, C. 1983. The Prairie Peninsula: A Climatic Perspective. *Physical Geography.* 4:153-166.
- Marcy, R. B. 1853. *Exploration of the Red River of Louisiana, in 32nd Congress, second session, Senate Executive Document 55.* Marschner, Francis 1930. *The Original Vegetation of Minnesota*, (manuscript edited by Miron Heinselman and published by North- Central Forest Exp. Sta. USDA, Forest Service in 1974).
- McAtee, WL. 1974. Distribution of seeds by birds, *American. Midlands Naturalist*, 38:214-23.
- McKelvey, S. D. 1955. *Botanical Explorations of the Trans-Mississippi West 1790-1850*. Arnold Arboretum of Harvard Univ. Jamaica Plain Mass. v-1144 pp.
- National Weather Service. Various Dates. *Dicennial Census of Climates*. NOAA/Climate Data Center. Climate data.

- NRCS. Various dates. Range data from county soil surveys.
- NRCS/USDA. 2000. <http://www.nhq.nrcs.usda.gov/land/index/soils.html> Soil order maps.
- Pennell, Francis W. 1936. Travels and Scientific Collections of Thomas Nuttall, *Bartonia* 18:1-51.
- Pieper, Rex D. 2005. Grasslands of Central North America 221-251, Chapter 6 in Suttie, J.M., S. G. Reynolds and C. Batello Eds. 2005. *Grasslands of the World*. Plant production series No. 34. 514 pages.  
<ftp://ftp.fao.org/docrep/fao/008/y8344e/y8344e00.pdf>
- Polley, H. W. H. B. Johnson, H. S. Mayeaux, and C. R. Tischler. 1996. Are some of the recent changes in grassland communities a response to rising CO<sub>2</sub> concentrations? pp. 177-195 in: Korner, C. and F. Bazzaz, (eds. ) *Carbon Dioxide, Population, and Communities*. Academic Press, San Diego, CA.
- Pope, J. 1854. *Exploration of a route for the Pacific railroad near the thirty-second parallel of latitude from the Red River to the Rio Grande*, in 33rd Congress, House Executive Document 129, 7:1- 324.
- Pound, R. and Clements, F. W. 1898. The Vegetation Regions of the Prairie Provinces. *Botanical Gazette* 25:381-394.
- Prendergast, H. D. V., P. W. Hattersley, and N. E. Stone. 1987. New Structural/biochemical associations in leaf blades of C<sub>4</sub> grasses (Poaceae), *Australian Journal of Plant Physiology* 14:403-20.
- Putnam, A. R. and C. S. Tang. 1986. *The Science of Allelopathy*, Wiley:NY.
- Rice, E. 1984. *Allelopathy*, vi-422, Academic Press:Orlando.
- Sargent, C. S. 1884. Forest, prairie and treeless regions of North America excl. of Mexico, *Tenth Census of the United States*, v. 9, Atlas map No. 1, Wash. DC.
- Shantz, H. L. 1923. The Natural Vegetation of the Great Plains Region. *Annals of the Association of American Geographers* 13:81-108.
- Shantz, H. L. and Zon, R. 1924. Natural Vegetation. In *Atlas of of American Agriculture*. Washington, D. C. : U. S. Dept. of Agriculture.
- Stevens, I. I. 1854. *Exploration of a route for the Pacific railroad near the forty-seventh and forty-ninth parallels - from St. Paul to Puget Sound*, in 33rd Congress, House Executive Document 129.
- Stubbendieck J., S. Hatch, K. Hirsch. 1986. *North American Range Plants*, 3rd Ed. Univ. Neb. Press, Lincoln, xv-465.
- Teiszen, L. L. Senyimba, M. M. Imbamba, S. K. and Troughton, J. H. 1979. The Distribution of C<sub>3</sub> and C<sub>4</sub> Grasses and Carbon Isotope Discrimination Along an Altitudinal and Moisture Gradient in Kenya. *Oecologia* 37: 337-350.
- Terri, J. A. and Stowe, L. G. 1976. Climatic Patterns and the Distribution of C<sub>4</sub> Grasses in North America. *Oecologica* 23:1-12.

- Thomasson, J. R. 1979. Late Cenozoic grasses and other angiosperms from Kansas, Nebraska, and Colorado: biostratigraphy and relationships to living taxa: *State Geological Survey of Kansas, Bulletin* 218, p. 1-68.
- Thomasson, J. R. 1980a. *Archaeoleersia nebraskensis* gen. et sp. nov. (Gramineae-Oryzeae), a new fossil grass from the Late Tertiary of Nebraska: *American Journal of Botany* 67, p. 876-882.
- Thomasson, J. R. 1980b. A fossil *Equisetum* sp. (Family Equisetaceae, subgenus *Hippochaetae*) from the Late Tertiary Ash Hollow Formation of Nebraska: *American Journal of Botany* 67, p. 125-127.
- Thornthwaite, C. W. 1952. Grassland Climates. *Publications in Climatology* 5:6.
- Thwaites, Ruben G. 1905. *Early Western Travels 1748-1846*, vols. 13-16.
- Tischler, C. R. and P. W. Voigt. 1987. Seedling morphology and anatomy of rangeland plant species. pp. 5-13. In G. W. Frasier and R. A. Evans (eds. ), *Proceedings of Symposium. :Seed and Seedbed Ecology of Rangeland Plants*. USDA-ARS. Distributed by National Tech. Information Service, Springfield VA 22161.
- Tobey, R. C. 1981. *Saving the Prairies: The Life Cycle of the Founding School of American Plant Ecology, 1895-1955*. Berkeley: University of California Press.
- Transeau, E. N. 1935. The Prairie Peninsula. *Ecology* 16:423-437.
- Twiss, P., E. Seuss, and R. Smith. 1969. Morphological classification of grass phytoliths, *Soil Sci. Soc. of Am. Proc.* 33:109-115.
- Umbanhower, C. 1992. Abundance, vegetation and environment of four patch types in a northern mixed prairie. *Canadian Journal of Botany* 70:277-284.
- United States Department of Agriculture. 1948. *Grass*. Yearbook of Agriculture. Washington, DC.
- Waller, S. and J. Lewis. 1979. Occurrence of C3 and C4 photosynthetic pathways in North American grasses, *Jour, Range Mgnt.* 32:12- 28.
- Watson, L., and M. J. Dallwitz. 1992 onwards. *Grass Genera of the World: Descriptions, Illustrations, Identification, and Information Retrieval; including Synonyms, Morphology, Anatomy, Physiology, Phytochemistry, Cytology, Classification, Pathogens, World and Local Distribution, and References*. <http://biodiversity.uno.edu/delta/>. Version: 18th August 1999.
- Watson, L., M.J. Dallwitz, and C.R. Johnston. 1986. Grass genera of the world: 728 detailed descriptions from an automated database. *Aust. J. Bot.* 34, 223-30.
- Weaver, J. E. 1954. *North American Prairie*. Lincoln, NE. Johnsen Pub. Co.
- Weaver, J. E. and Albertson, F. W. 1956. *Grasslands of the Great Plains*. Lincoln, NE: Johnsen Publ. Co.
- Webb, T. III, Cushing, E. J. and Wright, H. E. Jr. 1984. *Holocene Changes in the Vegetation of the Midwest*. In *Late Quaternary Environments of the United States*, H. E. Wright, Jr. ed. 142-165. Minneapolis: University of Minnesota Press.

- Wells, P. V. 1965. Scarp Woodlands, Transported Grassland Soils, and Concept of Grassland Climate in the Great Plains Region. *Science* 148:246-249.
- Whipple, A. W. 1854. *Report of Exploration for a railway route near the thirty-fifth parallel of latitude from the Mississippi River to the Pacific Ocean*, in 33rd Congress, House Executive Document 129, 6:1-154.
- Wilson, A. M. and D. D. Briske. 1978. Drought and temperature effects on establishment of blue grama seedlings. *Proceedings of the First International Rangeland Congress* 359-61.
- Wilson, A. M. and J. A. Sarles. 1978. Quantification of growth drought tolerance and avoidance of blue grama seedlings, *Agronomy Journal*, 70:231-237.
- Wright, H. A. and A. W. Bailey. 1982. *Fire Ecology*, Wiley, NY, vii-501.

## **Selected Grassland Reestablishment References**

- Harker, D. S. Evans, M. Evans and K. Harker. 1993. *Landscape Restoration Handbook*. Lewis. Boca Raton.
- Howe, Henry T. 1994. Managing species diversity in tallgrass prairie: assumptions and implications. *Conservation Biology*. 8:691-704.
- Jacobson, E. T. D. B. Wark, R. G. Arnott, R. J. Haas, and D. A. Tober. 1994. Sculptured seeding: an ecological approach to revegetation. *Restoration & Management Notes* 12:46-50.
- Jordan, W. R. III. 1987. Restoration and management as theater. *Restoration & Management Notes* 5:2.
- Morrison, D. 1987. Landscape restoration in response to previous disturbance. Pages 159-172 in Monica Turner, Editor, *Landscape Heterogeneity and Disturbance*. Springer-Verlag. New York.
- Ries, R. E. and L. Hofmann. 1996. Perennial grass establishment in relationship to seeding dates in the Northern Great Plains. *Journal of Range Management*. 49:504-508.
- Roundy, B. A. N. L. Shaw, and D. T. Booth. 1997. *Using native seeds on rangelands, p1-8 in Proceedings: Using Seeds of Native Species on Rangelands*. USDA Forest Service Intermountain Research Station General Technical Report INT-GTR-372.
- Southern Plains Range Research Station. 1998. *Grass Seedling Guidelines*. Web page. <http://www.csrl.ars.usda.gov/sprrs/factsheet/sheets/>
- Thornburg, A. A. 1982. *Plant Materials for Use on Surface Mined Lands in Arid and Semi-Arid Regions*. USDA Soil Conservation Service. SCS-TP157 EPA 600 7-79-134. Washington, D. C. U. S. Gov't Printing Office, 116pp.
- Tober, D. A. and A. D. Chamrad. 1992. Warm-season grasses in the Northern Plains, *Rangelands* 4:227-230.